
UTILITY PRODUCTS TD


MULTI-PART COVER IDENTIFICATION, POSITIONING AND ASSEMBLY SEQUENCE

Thomas Dudley's range of hinged multi-part covers and frames are all supplied with a turnbuckle lock and have a sequential opening inter-locking covers. This document explains the opening sequence, cover position and how to identify each cover.

Cover Identification - The covers contain tabs that lock underneath the adjacent cover to prevent opening out of sequence.




Cover Positioning - The covers contain tabs that lock underneath the adjacent cover to prevent opening out of sequence. The correct position of each cover variant in the frame is as follows -




Opening Sequence -


IMPORTANT - Covers must be opened in sequence by following the instructions below. Failure to do so may result in damaging the covers.




Step 2 - Open the adjacent Interlock A cover.



Step 3 - Open the adjacent Interlock B cover.



Step 4 - Open the remaining Interlock A cover.



Reverse the steps for the closing sequence.

Cover Removal -

Once open, the covers can be fully removed if required. Covers can only be removed from the frame at 90°.

To remove the cover, position at 90° and lift out of the frame.





TD THOMAS | DUDLEY

Thomas Dudley Utility Products
295 Birmingham New Road, Dudley, West Midlands, DY1 4SJ
0121 521 2503
utilitysales@thomasdudley.co.uk
www.tdfoundry.co.uk

UTILITY PRODUCTS TD